



diomede

2021

MIMICRY



diomede srl

Via Meucci, 5 - Ornago
20876 MB Italy
info@diomedelight.com
diomedelight.com
+ 39 039 2296724



Fixture installed in its natural clay finishing.



Fixture painted with water-based color.



MIMICRY

The essence of absence

MIMICRY

ROUND Ø220mm

SQUARE L220mm







natural clay



Mimicry is an outdoor luminaire for wall installation with LED light source.

A radial emission wall luminaire with a cover made of a partially porous natural material which is resistant to the most extreme weather conditions and paintable with water-based colours, this gives you the possibility to choose for a perfectly integrated lighting fixture or a contrasting one with the aesthetics of the facade. The 360° radial emission is indirect to minimize glare and is generated by 60 mid power LEDs for a total power of 10W, available in three colours temperature 2700K, 3000K or 4000K.

The structure of the luminaire is made of die-cast aluminium EN47100, matt white double layer polyester powder painted and transparent s UV stabilized optical polycarbonate obtained by injection, sealed with moulded silicone gaskets. Mimicry is equipped with a stainless steel wall fixing bracket and insulation gel connectors for quick and safe electrical connection. The connection can only be of the terminal type. It operates at 220/240V with integrated power supply: insulation class I; IP65 water protection degree.



Ø=220mm 360° 13We 220-240V

2700K	855lm	901831000
3000K	900lm	901811000
4000K	945lm	901821000



L=220mm 360° 13We 220-240V

2700K	855lm	901831010
3000K	900lm	901811010
4000K	945lm	901821010

