

steinhauer
LIGHTING





Licht met een oorsprong The story behind the light Leuchten mit Anspruch La lumière avec une origine

Steinhauer ontwerpt en ontwikkelt al eenennegentig jaar verlichtingsarmaturen.

Het voortdurend creatief toepassen van trends is, mede dankzij onze ervaring, ons handelsmerk geworden. Steinhauer is niet alleen in staat om armaturen een eigen gezicht te geven; het is minstens zo belangrijk dat de producten voldoen aan de laatste normen, eisen en richtlijnen.



Flexibiliteit in ontwerp en productie bepaalt ons succes. Om daaraan te kunnen voldoen hebben wij alle fasen van het productieproces in eigen beheer: van ontwerp en ontwikkeling tot productie.

Steinhauer has been designing and developing light fixtures for ninety one years

The continuous creative application of trends has become our trademark, thanks to our experience. Besides being capable of making unique and recognizable fittings, it is equally important that our products


meet the latest standards, requirements and guidelines. Flexibility in design and production is what determines our success. To be able to suffice this we manage all stages of the production process from design through to development and production.

Steinhauer entwirft und entwickelt bereits seit mehr als einundneunzig Jahren Wohnraumleuchten.

Das konsequente und kreative Einspielen auf Trends wurde, auch aufgrund unserer Erfahrung, zu unserem Warenzeichen. Steinhauer verleiht Leuchten nicht nur eine spezielle Optik, ebenso wichtig ist, dass die Leuchten die aktuellen Normen, Anforderungen und Richtlinien einhalten. Flexibilität in Bezug auf Entwurf und Produktion ist maßgebend für unseren Erfolg. Um dieser Forderung nach Flexibilität entsprechen zu können, haben wir alle Schritte im Produktionsverfahren unter eigener Kontrolle: von Entwurf und Entwicklung bis hin zu Produktion und Transport. Steinhauer bringt Licht in Ihr Leben.

Depuis plus de quatre vingt onze ans, Steinhauer conçoit et développe ses luminaires.

Riches d'une longue expérience, nous avons su faire évoluer nos créations en suivant les tendances. Ceci est devenu notre marque de fabrique. Chez Steinhauer, nous ne nous contentons



pas de designer des luminaires tendance, nous leur offrons une apparence unique. La clé de notre succès réside dans notre flexibilité lors de la conception et de la production.

Afin de satisfaire cette exigence de flexibilité, nous gérons de bout en bout l'ensemble du processus de fabrication, de la conception au transport, en passant bien entendu par la production.





Internationale beurzen
 International fairs
 Internationale Messen
 Foires internationales



R164



Mark Steinhauer
CEO

Ontwerpen met passie! Designing with passion! Gestalten mit Leidenschaft! Conception avec passion!

Mijn visie op het samenstellen van een collectie:


We investeren in eigen ontwerp, ontwikkeling en productie en creëren daarmee onze eigen identiteit, herkenbaar voor onze klanten.

Onze catalogus geeft u een goed beeld van onze complete collectie. Steinhauer streeft altijd naar een nieuw licht op armaturen.

Meine Vision von der Gestaltung einer Kollektion:

Wir investieren in eigene Entwürfe und in die Entwicklung und Produktion. Wir kreieren somit unsere eigene Identität, erkennbar für unsere Kunden.

Unser Katalog gibt Ihnen ein gutes Bild von unserer gesamten Kollektion. Steinhauer strebt immer nach Leuchten, die Ausdruck von Individualität und einem eigenen Lebensgefühl sind.




My vision of assembling a collection:

We invest in our own design, development and production through which our specific identity is easily recognizable to our clients.

Our catalogue gives a clear view of our whole collection. Steinhauer always moves forward to create new light!

Ma vision sur la création d'une collection:

Nous investissons dans nos idées, dans notre développement et dans notre production. Nous créons ainsi notre propre identité, reconnaissable et identifiable par nos clients. Notre catalogue vous offre une idée de l'ensemble de notre collection. Steinhauer cherche toujours à concevoir de surprenants luminaires.




INDEX STEINHAUER COLLECTION

pages 16 to 273


Ambiance	165
Ancilla	157
Bambus	221
Bande	33
Bikkel	177
Bloc	31
Bollique	135
Brass	256
Brooklyn	184
Capri	195
Ceiling and wall	218
Ceiling panels	272
Constellation	150
Daphne	80
Elegant Classy	235
Feuilleter	190
Flady	112
Glaslic	154
Ikaro	215
Krisip	170
Lido	213
Litho	83
Lotus	153
Muro	85
Mykty	111
Natasja	205
Outdoor collection	260
Parade	175
Pelite spot	208
Pimpernel	191
Piola	62
Points Noirs	202
Prestige Chic	237
Profilo	37
Reflexion	124
Retina	39
Ringlede	90
Ringlux	102
Semicirkel	173
Serenade	88
Smukt	166
Soleil	43
Sovereign Classic	121
Sparkled Light	224
Spring	186
Stang	241
Tallerken	117
Tor	168
Tubel	169
Tuk	176
Turound	17
Vidrio	116
Vortex	122
Warbier	176
Yorkshire	167
Zelena	66
Zenith	48
Zodiac	73




Pag. 17
Turound



Pag. 31
Bloc



Pag. 33
Bande



Pag. 37
Profilo



Pag. 39
Retina



Pag. 43
Soleil



Pag. 48
Zenith



Pag. 62
Piola



Pag. 66
Zelena



Pag. 73
Zodiac



Pag. 80
Daphne



Pag. 83
Litho



Pag. 85
Muro



Pag. 88
Serenade



Pag. 90 / 102
Ringlede / Ringlux



Pag. 111
Mykty



Pag. 112
Flady



Pag. 114
Vortex



Pag. 117 / 121
Tallerken / Sovereign Classic



Pag. 122
Vidrio



Pag. 124
Reflexion



Pag. 135
Bollique



Pag. 150
Constellation



Pag. 153
Lotus



Pag. 154
Glaslic




Pag. 157
Ancilla



Pag. 165
Ambiance



Pag. 166 / 167
Smukt / Yorkshire



Pag. 168 / 169
Tor / Tubel



Pag. 170
Krisip



Pag. 173
Semicirkel



Pag. 174 / 175
Warbier / Parade



Pag. 176
Tuk



Pag. 177
Bikkel



Pag. 184
Brooklyn



Pag. 186
Spring




Pag. 190 / 191
Feuilleter / Pimpernel



Pag. 195
Capri




Pag. 202
Points Noirs



Pag. 205
Natasja



Pag. 208
Pelite spot



Pag. 213 / 215
Lido / Ikaro



Pag. 218
Ceiling and wall



Pag. 221
Bambus



Pag. 224
Sparkled Light




Pag. 235
Elegant Classy



Pag. 237 / 241
Prestige Chic / Stang



Pag. 256
Brass



Pag. 260 / 272
Outdoor collection / Ceiling panels



INDEX ANNE COLLECTION

pages 274 to 331

- Animaux 317
- Aura 321
- Bangalore 308
- Bois 290
- Brassi 331J
- Bundle 302
- Capos 305
- Clearvoyand 287
- Cloud 304
- Dolphin 289
- Dunbar 278
- Fjorgard 279
- Flinter 306
- Frisk 282
- Geurnsey 284
- Grass 327
- Jazz 311
- Kasket 277
- Linstrom 312
- Lyons 297
- Mark III 285
- Marrakesch 329
- Maze 322
- Millstone 286
- Muoversi 309
- Porcelain 310
- Woody 280
- Zappa 281



Pag. 277
Kasket



Pag. 278
Dunbar



Pag. 279
Fjorgard



Pag. 280
Woody




Pag. 311
Jazz



Pag. 312
Linstrom



Pag. 317
Animaux



Pag. 321
Aura



Pag. 322
Maze



Pag. 281
Zappa



Pag. 282
Frisk



Pag. 284
Geurnsey



Pag. 285
Mark III



Pag. 327
Grass



Pag. 329
Marrakesch



Pag. 331
Brassi



Pag. 286
Millstone



Pag. 287
Clearvoyand



Pag. 289
Dolphin



Pag. 290
Bois



Pag. 297
Lyons



Pag. 302
Bundle



Pag. 304
Cloud




Pag. 305
Capos



Pag. 306
Flinter



Pag. 308
Bangalore



Pag. 309
Muoversi




Pag. 310
Porcelain



INDEX MEXLITE COLLECTION

pages 332 to 440

Acier	365
Aureole	366
Belana	373
Bella	422
Biron	339
Bjorr	393
Black Moon	371
Buckley	380
Carree	376
Ceiling and wall	359
Cera	372
Danske	334
Davin	375
Densi	397
Dion	440
Ebbe	402
Eden	390
Eliga	395
Ella	394
Eloi	344
Espen	370
Fez Black	364
Flex	379
Gaeve	396
Galaxy	358
Gearmetal	415
Gearwood	404
Geripu	416
Grazioglass	420
Karl	350
Lisanne	398
Minimalics	403
Noor	426
Nouveau	434
Nove	385
Office Magna	378
Ornoir	435
Paco	401
Platu	349
Sabi	439
Serpent	353
Skandina	369
Solva	431
Stekk	336
Study	419
Sunflower	417
Synna	346
Triek	436
Upround	355
Volcan	362



pag. 334
Danske




pag. 336
Stekk



pag. 339
Biron



Pag. 344
Eloi



pag. 346
Synna



pag. 349
Platu



pag. 350
Karl



pag. 353
Serpent



pag. 355
Upround



pag. 358
Galaxy



pag. 359
Ceiling and Wall



pag. 362
Volcan



pag. 364
Fez Black



pag. 365
Acier



pag. 366
Aureole



pag. 369
Skandina



pag. 370
Espen




pag. 371
Black moon



pag. 372
Cera



pag. 373
Belana



pag. 375
Davin



pag. 376
Carree



pag. 378 - 379
Office Magna / Flex



pag. 380
Buckley




pag. 385
Nove



pag. 390
Eden



pag. 393
Bjorr



pag. 394
Ella



pag. 395
Eliga



pag. 396
Gaeve



pag. 397
Densi



pag. 398
Lisanne



pag. 401
Paco



pag. 402
Ebbe



pag. 403
Minimalics



pag. 404
Gearwood



pag. 415
Gearmetal



pag. 416
Geripu



pag. 417
Sunflower



pag. 419
Study



pag. 420
Grazioglass



pag. 422
Bella



pag. 426
Noor



pag. 431
Solva



pag. 434
Nouveau



pag. 435
Ornoir



pag. 436
Triek



pag. 439 / 440
Sabi / Dion





Color shades

2 = White Chintz, glued on white PVC glued on white PVC so light shines through nicely.

G = Velvet zinc taupe, glued on taupe-color PVC so light output is warm.

J = Jeans linen, glued on clear PVC, so light shines through nicely.

K = Velvet gold, glued on taupe-color PVC so light-output is warm.

N = Black Sizoflor, glued on a clear foil, which makes the light source clearly visible.

P = Silver Sizoflor, glued on a clear foil, which makes the light source clearly visible.

Q = White linen, glued on white PVC so light shines through nicely.

R = Grey linen, glued on white PVC so light shines through nicely.



V = Velvet green, glued on taupe-color PVC so light output is warm.

S = Black Chintz, glued on gold PVC so light output is warm.

Z = Velvet blue, glued on taupe-color PVC so light output is warm.



steinhauer
LIGHTING
exclusive



Turound

Article	Electrification	L x W x H	Extra information
2663ZW	10W + 40W	27 x 58 x 187	2200 - 4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
2734ZW	10W	62 x 20-17	2200 - 4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3082ZW	10W	56 x 100-140	2200 - 4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable



2989ZW



3374ZW



2991ZW

Turound

Article	Electrification	L x W x H	Extra information
2989ZW	10W + 40W	27 x 50 x 187	2200-4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
2991ZW	10W	23 x 45 x 125-145	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3374ZW	10W	Ø45 x 18 x 30-45	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable



3095ZW



2993ZW



3512ZW



Turound

Article	Electrification	L x W x H	Extra information
2993ZW	40W	Ø27 x 187	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable
3095ZW	10W	Ø12 x 17	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3512ZW	4 x 10W	120 x 16 x 80-122	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable





Turound




Article	Electrification	L x W x H	Extra information
2560ST	10W + 40W	27 x 58 x 187	2200-4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
2733ST	10W	62 x 20 x 17	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3096ST	10W	Ø14 x 17	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3081ST	10W	56 x 100-140	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable



3373ST



2988ST



2990ST

Turound

Article	Electrification	L x W x H	Extra information
2988ST	10W+ 40W	27 x 50 x 187	2200-4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
2990ST	10W	23 x 45 x 125-145	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3373ST	10W	Ø45 x 18 x 30-45	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable



Turound

Article	Electrification	L x W x H	Extra information
2992ST	40W	Ø27 x 187	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable
3512ST	4 x 10W	120 x 16 x 80-122	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable





2663BR



3082BR

Turround


Article	Electrification	L x W x H	Extra information
2663BR	10W + 40W	27 x 58 x 187	2200 - 4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
3082BR	10W	56 x 100-140	2200 - 4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable





3297ZW




Cable-lift 



3296ST



Cable-lift 



3296ZW



3297ST

Bloc

Article	Electrification	L x W x H	Extra information
3296	7 x 6W	120 x 2,2 x 60-130	2700 Kelvin, 4200 Lumen, CRI90, dimmable driver
3297	11 x 6W	171 x 2,2 x 60-130	2700 Kelvin, 6600 Lumen, CRI90, dimmable driver



Bande

Article	Electrification	L x W x H	Extra information
3994	16,8W + 2 x 4,2W	122 x 3 x 80-120	2200-4000 Kelvin, 2500 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color
3995	21W + 2 x 8,4W	155 x 3 x 80-120	2200-4000 Kelvin, 3800 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color



3996ST




3997ZW

Cable-lift

3997ST



3996ZW




Bande

Article	Electrification	L x W x H	Extra information
3996	2 x 16,8W	114 x 2 x 60-120	2200-4000 Kelvin, 3400 Lumen, CRI90, up- and downlight, seperately dimmable, light color adjustable
3997	2 x 21W	150 x 2 x 60-120	2200-4000 Kelvin, 4200 Lumen, CRI90, up- and downlight, seperately dimmable, light color adjustable




3318ST



3318ZW



3317ZW



3317ST

Profilo

Article	Electrification	L x W x H	Extra information
3317	16,8W	114,5 x 3 x 80-170	2200-4000 Kelvin, 1700 Lumen, CRI90, dimmable and light color adjustable
3318	21W	150,5 x 3 x 80-170	2200-4000 Kelvin, 2100 Lumen, CRI90, dimmable and light color adjustable



2 charging ports




Retina

Article	Electrification	L x W x H	Extra information
3083	10W	22,5 x 60 x 100-125	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm,
3402	10W	26-45 x 11 x 26 x 16,5	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm, USB-A and USB-C port



3402BR



3083BR



2 charging ports

Retina

Article	Electrification	L x W x H	Extra information
3083	10W	22,5 x 60 x 100-125	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm,
3402	10W	26-45 x 11 x 26 x 16,5	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm, USB-A and USB-C port



3258ST



3259ST



3257ST




3516ST

Soleil

Article	Electrification	L x W x H	Extra information
3257ST	10W	Ø25 x 61 x 133	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3258ST	10W + 40W	Ø32 x 72 x 183	2200-4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
3259ST	10W	Ø14 x 55 x 32	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3516ST	4 x 10W	90 x 16,5 x 80-121	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable





3515BR

3515ST



3515ZW

Rechargeable and cordless reading lamp

Operating time at full power with 100% battery power 8H.



Floor stand battery charger

2 batteries LI Ion, 3,7V/8000mAh, 29,6Wh.




Indicator of charge



Soleil

Article	Electrification	L x W x H	Extra information
3515	7W	Ø20 x 55 x 106-144	2200-4000 Kelvin, 900 Lumen, energy class E, CRI90, light color adjustable, memory touch dimmer





Soleil

Article	Electrification	L x W x H	Extra information
3257ZW	10W	Ø25 x 61 x 133	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3258ZW	10W + 40W	Ø32 x 72 x 183	2200-4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
3259ZW	10W	Ø14 x 55 x 32	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3516ZW	4 x 10W	90 x 16,5 x 80-121	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable




7860ST

Zenith

Article	Electrification	L x W x H	Extra information
1477ST	30W	Ø28 x 185	2200-4000 Kelvin, 3000 Lumen, CRI90, push dimmer, light color adjustable
7860ST	6W + 30W	Ø28 x 185	2200-4000 Kelvin, 700 + 3000 Lumen, CRI90, push dimmers, light color adjustable



1477ST





1442ST



7910ST



1470ST



7862ST

Zenith



Article	Electrification	L x W x H	Extra information
1442ST	6W	Ø12 x 14,5 x 12	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
1470ST	6W	Ø15,5 x 42	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
7862ST	6W	Ø22 x 118-144	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
7910ST	6W	Ø22 x 118-150	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable



1442ZW



7862ZW



7860ZW

Zenith



Article	Electrification	L x W x H	Extra information
1442ZW	6W	Ø12 x 14,5 x 12	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
7860ZW	6W + 30W	Ø28 x 185	2200-4000 Kelvin, 700 + 3000 Lumen, CRI90, push dimmers light color adjustable
7862ZW	6W	Ø22 x 118-144	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable



1470ZW



7910ZW



1477ZW

Zenith



Article	Electrification	L x W x H	Extra information
1470ZW	6W	Ø15,5 x 42	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
1477ZW	30W	Ø28 x 187	2200-4000 Kelvin, 3000 Lumen, CRI90, push dimmer, light color adjustable
7910ZW	6W	Ø22 x 118-150	2200-4000 Kelvin, 700 Lumen, push dimmer, CRI90, light color adjustable



7910BR



1442BR



1470BR

Zenith

Article	Electrification	L x W x H	Extra information
1442BR	6W	Ø12 x 14,5 x 12	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
1470BR	6W	Ø15,5 x 42	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
7910BR	6W	Ø22 x 118-150	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable





7860BR



1477BR



7862BR



Zenith


Article	Electrification	L x W x H	Extra information
1477BR	30W	Ø28 x 185	2200-4000 Kelvin, 3000 Lumen, CRI90, push dimmer, light color adjustable
7860BR	6W + 30W	Ø28 x 185	2200-4000 Kelvin, 700 + 3000 Lumen, CRI90, push dimmers, light color adjustable
7862BR	6W	Ø22 x 118-144	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable



7860ME



1470ME



7910ME

Zenith

Article	Electrification	L x W x H	Extra information
1470ME	6W	Ø15,5 x 42	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable
7860ME	6W + 30W	Ø28 x 185	2200-4000 Kelvin, 700 + 3000 Lumen, CRI90, push dimmers, light color adjustable
7910ME	6W	Ø22 x 118-150	2200-4000 Kelvin, 700 Lumen, CRI90, push dimmer, light color adjustable




steinhauer
LIGHTING
exclusive

Piola

Article	Electrification	L x W x H	Extra information
3500ST	10W	Ø16 x 90-150	2700 Kelvin, 1000 Lumen, CRI90, dimmable driver
3501ST	3 x 10W	130 x 15 x 90-150	2700 Kelvin, 3000 Lumen, CRI90, dimmable driver





3501ZW



3500ZW

Piola

Article	Electrification	L x W x H	Extra information
3500ZW	10W	Ø16 x 90-150	2700 Kelvin, 1000 Lumen, CRI90, dimmable driver
3501ZW	3 x 10W	130 x 15 x 90-150	2700 Kelvin, 3000 Lumen, CRI90, dimmable driver





1482BR

Zelena

Article	Electrification	L x W x H	Extra information
1482	2 x 4W + 17W	119 x 8 x 82-117	2200-4000 Kelvin, 2500 Lumen, CRI90, push dimmers, up- and down light separately dimmable and light color adjustable



1482ST



1482ZW



7971BR



7971ST



7971ZW



Zelena

Article	Electrification	L x W x H	Extra information
7971	2 x 4W + 21W	150 x 8 x 82-117	2200-4000 Kelvin, 3700 Lumen, CRI90, push dimmers, up- and down light separately dimmable and light color adjustable



Zelena

Article	Electrification	L x W x H	Extra information
7970	2 x 4W + 2 x 16W	90-150 x 8 x 78-120	2200-4000 Kelvin, 3400 Lumen, CRI90, up- and down light separately dimmable and light color adjustable



7972ST




7972BR



7972ME



7972ZW



Zodiac

Article	Electrification	L x W x H	Extra information
7972	7W + 30W	Ø28 x 185	2700 Kelvin, 700 + 3000 Lumen, CRI90, push dimmers




2108ST



2107ST



2110ST



2109ST



Zodiac

Article	Electrification	L x W x H	Extra information
2107ST	6W + 25W	65 x 65 x 185	2700 Kelvin, 700 + 2200 Lumen, CRI90, push dimmers
2108ST	6W	60 x 60 x 100-150	2700 Kelvin, 700 Lumen, CRI90, push dimmer
2109ST	6W	15 x 15 x 30-60	2700 Kelvin, 700 Lumen, CRI90, push dimmer
2110ST	6W	12 x 12 x 53	2700 Kelvin, 700 Lumen, CRI90, push dimmer



2107ZW



2108ZW



2110ZW



2109ZW



Zodiac

Article	Electrification	L x W x H	Extra information
2107ZW	6W + 25W	65 x 65 x 185	2700 Kelvin, 700 + 2200 Lumen, CRI90, push dimmers
2108ZW	6W	60 x 60 x 100-150	2700 Kelvin, 700 Lumen, CRI90, push dimmer
2109ZW	6W	15 x 15 x 30-60	2700 Kelvin, 700 Lumen, CRI90, push dimmer
2110ZW	6W	12 x 12 x 53	2700 Kelvin, 700 Lumen, CRI90, push dimmer



Zodiac

Article	Electrification	L x W x H	Extra information
2107BR	6W + 25W	65 x 65 x 185	2700 Kelvin, 700 + 2200 Lumen, CRI90, push dimmers
2108BR	6W	60 x 60 x 100-150	2700 Kelvin, 700 Lumen, CRI90, push dimmer
2109BR	6W	15 x 15 x 30-60	2700 Kelvin, 700 Lumen, CRI90, push dimmer
2110BR	6W	12 x 12 x 53	2700 Kelvin, 700 Lumen, CRI90, push dimmer





Daphne

Article	Electrification	L x W x H	Extra information
3392	7W + 33W	Ø28 x 180	2700-4000 Kelvin, 700 + 3300 Lumen, CRI90, push dimmers, 3 steps color adjustable
3393	7W	Ø23 x 143	2700-4000 Kelvin, 700 Lumen, CRI90, push dimmer, 3 steps color adjustable



Litho


Article	Electrification	L x W x H	Extra information
2431	9W	60 x 15,4 x 9	2200-4000 Kelvin, 850 Lumen, CRI90, push dimmer, light color adjustable



3366ZW



3366ST



3364ZW



3364ST

Muro

Article	Electrification	L x W x H	Extra information
3364	3W G9	13 x 11 x 8	2700 Kelvin, 300 Lumen, dimmable light source
3366	3W G9	12 x 14 x 12	2700 Kelvin, 300 Lumen, dimmable light source



3365ST



3365ZW



3098ZW



3367ZW



3368ZW

Muro

Article	Electrification	L x W x H	Extra information
3098ZW	2 x 3W	11 x 11 x 11	2700 Kelvin, 2 x 240 Lumen, dimmable driver, IP44, also suitable for bathroom and outdoor
3365	3W G9	13 x 7,5 x 9	2700 Kelvin, 300 Lumen, dimmable light source
3367ZW	3W G9	13,5 x 12,5 x 13	2700 Kelvin, 300 Lumen, dimmable light source
3368ZW	2 x 3W G9	20 x 12,5 x 13	2700 Kelvin, 2 x 300 Lumen, dimmable light source



2685ZW



2685ST



2684ST



2684ZW

Serenade

Article	Electrification	L x W x H	Extra information
2684	10W	20 x 15 x 60	4-steps dimmable, 2200-2800-3400-4000 Kelvin, 900 Lumen, light color adjustable
2685	10W	20 x 15 x 140	4-steps dimmable, 2200-2800-3400-4000 Kelvin, 900 Lumen, light color adjustable



2563ZI



2562ZI



3086ZI

Ringlede

Article	Electrification	L x W x H	Extra information
2562ZI	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, dimmable driver
2563ZI	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, dimmable driver
2695ZI	40W	Ø48 x 15 -160	2700 Kelvin, 3600 Lumen, dimmable driver
3086ZI	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, dimmable driver



2695ZI




3086GO



2562GO




2563GO



2695GO

Ringlede

Article	Electrification	L x W x H	Extra information
2562GO	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, dimmable driver
2563GO	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, dimmable driver
2695GO	40W	Ø48 x 15 -160	2700 Kelvin, 3600 Lumen, dimmable driver
3086GO	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, dimmable driver



2563ZW



2562ZW



3086ZW

2695ZW

Ringlede

Article	Electrification	L x W x H	Extra information
2562ZW	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, dimmable driver
2563ZW	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, dimmable driver
2695ZW	40W	Ø48 x 15 -160	2700 Kelvin, 3600 Lumen, dimmable driver
3086ZW	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, dimmable driver



3086W



2562W



2563W

Ringlede

Article	Electrification	L x W x H	Extra information
2562W	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, dimmable driver
2563W	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, dimmable driver
2695W	40W	Ø48 x 15 -160	2700 Kelvin, 3600 Lumen, dimmable driver
3086W	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, dimmable driver



2695W



2563BR



2562BR



3086BR

Ringlede

Article	Electrification	L x W x H	Extra information
2562BR	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable
2563BR	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, CRI90, dimmable
3086BR	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable





3691GO



3691ZW



3690ZW



3690GO



Ringlede

Article	Electrification	L x W x H	Extra information
3690	20W	Ø28 x 6	2700 Kelvin, 1600 Lumen, CRI90, dimmable
3691	30W	Ø38 x 6	2700 Kelvin, 2400 Lumen, CRI90, dimmable



3502GO




Ringlux

Article	Electrification	L x W x H	Extra information
3502	42W	Ø60 x 50-150	2700 Kelvin, 4200 Lumen, CRI90, dimmable driver



3502ST

3502ZW



Ringlux

Article	Electrification	L x W x H	Extra information
3514	24W+42W	Ø60 x 50-150	2700 Kelvin, 6600 Lumen, CRI90, dimmable driver





3655ST




3655ZW



3692GO



3692ZW



Ringlux

Article	Electrification	L x W x H	Extra information
3655	20W	Ø32 x 7,5	2700 Kelvin, 2000 Lumen, CRI90, dimmable driver
3692	50W	Ø60 x 40-150	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver



3676ZW



3675ZW




3676GO



3675GO

Ringlux

Article	Electrification	L x W x H	Extra information
3675	2 x 30W	Ø80 x 50-190	2700 Kelvin, 5400 Lumen, CRI90, dimmable driver, bottom and top light
3676	2 x 40W	Ø100 x 50-190	2700 Kelvin, 7200 Lumen, CRI90, dimmable driver, bottom and top light



3688ZW



3689ZW



3687ZW



3687GO

Mykty

Article	Electrification	L x W x H	Extra information
3687	30W	Ø40 x 5	2700 Kelvin, 2400 Lumen, CRI90, dimmable driver, lamp is a ceiling or wall lamp
3688ZW	40W	Ø45 x 10	2700 Kelvin, 3200 Lumen, CRI90, dimmable driver
3689ZW	40W	Ø45 x 40-150	2700 Kelvin, 3200 Lumen, CRI90, dimmable driver



3686GO



3685GO



3686ZW



3685ZW



Flady


Article	Electrification	L x W x H	Extra information
3685	30W + 6W	Ø40 x 7	2700 Kelvin, 3500 Lumen, CRI90, dimmable driver, bottom and top light
3686	40W + 8W	Ø50 x 7	2700 Kelvin, 4600 Lumen, CRI90, dimmable driver, bottom and top light





Vortex

Article	Electrification	L x W x H	Extra information
3066	5 x 5W	120 x 9,5 x 140	2700-4000 Kelvin, 1100 Lumen, CRI85, touch dimmer and color adjustable in steps





Tallerken

Article	Electrification	L x W x H	Extra information
2655ZW	3W G9	Ø18 x 30-120	2700 Kelvin, 300 Lumen, dimmable light source
2658ZW	4 x 3W G9	120 x 18 x 80-120	2700 Kelvin, 4 x 300 Lumen, push dimmer
2659ZW	3 x 3W G9	Ø46 x 168	2700 Kelvin, 3 x 300 Lumen, push dimmer



2659ST



2655ST



2658ST



Tallerken

Article	Electrification	L x W x H	Extra information
2655ST	3W G9	Ø18 x 30-120	2700 Kelvin, 300 Lumen, dimmable light source
2658ST	4 x 3W G9	120 x 18 x 80-120	2700 Kelvin, 4 x 300 Lumen, push dimmer
2659ST	3 x 3W G9	Ø46 x 168	2700 Kelvin, 3 x 300 Lumen, push dimmer



2743BR



2740BR



2741BR



2742BR



2744BR



Sovereign Classic

Article	Electrification	L x W x H	Extra information
2740BR	3W G9	Ø18 x 60-120	2700 Kelvin, 300 Lumen, dimmable light source
2741BR	3W G9	27 x 18 x 36	2700 Kelvin, 300 Lumen, push dimmer
2742BR	3W G9	27 x 18 x 45	2700 Kelvin, 300 Lumen, push dimmer
2743BR	4 x 3W G9	120 x 18 x 80-120	2700 Kelvin, 4 x 300 Lumen, push dimmer
2744BR	3 x 3W G9	Ø46 x 168	2700 Kelvin, 3 x 300 Lumen, push dimmer



3831ZW = 3602ZW + I15417S



3837ZW = 3332ZW + I15417S



3839ZW = 3085ZW + I15417S



3832ZW = 3457ZW + I15417S



3838ZW = 2997ZW + I15417S

Vidrio

Article	Electrification	L x W x H	Extra information
2997ZW	E27	28 x 18 x 160	rotary switch on/off
3085ZW	E27	11 x 17,5 x 15	rotary switch on/off
3332ZW	E27	20 x 14 x 48	rotary switch on/off
3457ZW	3 x E27	120 x 10 x 85-155	
3602ZW	E27	Ø11 x 20-160	
I15417S		Ø13 x 24,5	



3079ZW



3078ZW

Reflexion

Article	Electrification	L x W x H
3078ZW	5 x E27	100 x 30 x 40-200
3079ZW	3 x E27	Ø40 x 30-370



2679ZW



2680ZW



Reflexion

Article	Electrification	L x W x H
2679ZW	7 x E27	Ø55 x 60-350
2680ZW	8 x E27	145 x 30 x 60-160



3796ZW



Reflexion

Article	Electrification	L x W x H	Extra information
3796ZW	6 x E27 + Incl. 3 x 4,9W GU10	140 x 44 x 35-150	2200-2700 Kelvin, 480 Lumen, dim to warm





2682ZW



2683ZW



2681ZW



3387ZW



3388ZW

Reflexion

Article	Electrification	L x W x H	Extra information
2681ZW	E27	Ø22 x 22	cable switch
2682ZW	E27	Ø15 x 28	cable switch
2683ZW	E27	Ø16 x 23	cable switch
3387ZW	E27	Ø25 x 17	
3388ZW	E27	Ø30 x 19,5	



3797ME



2681ME



2683ME



2682ME

Reflexion

Article	Electrification	L x W x H	Extra information
2681ME	E27	Ø22 x 22	cabl switch
2682ME	E27	Ø15 x 28	cabl switch
2683ME	E27	Ø16 x 23	cabl switch
3797ME	6 x E27 + Incl. 3 x 4,9W GU10	140 x 44 x 35-150	2200-2700 Kelvin, 480 Lumen, dim to warm





7376ST



Bollique

Article	Electrification	L x W x H
7376ST	5 x E27	Ø60 x 60-350



Bollique

Article	Electrification	L x W x H	Extra information
3122ZW	3 x E27	120 x 25 x 50-160	
3123ZW	3 x E27	Ø35 x 60-200	
3323ZW	E27	Ø20 x 26	cable switch
3324ZW	E27	25 x 15 x 51	cable switch
3325ZW	E27	Ø25 x 38 x 149	cable switch





3499ZW



2730ZW



Bollique

Article	Electrification	L x W x H
2730ZW	5 x E27	Ø60 x 60-350
3499ZW	6 x E27	140 x 40 x 30-150



Bollique

Article	Electrification	L x W x H
3496ZW	E27	Ø20 x 30-150
3497ZW	E27	Ø25 x 30-150
3498ZW	E27	Ø30 x 30-150



Bollique

Article	Electrification	L x W x H	Extra Information
3798ZW	6 x E27 + incl. 3 x 4,9W GU10	140 x 55 x 35-150	2200 - 2700 Kelvin, 3 x 480 Lumen, dim to warm
3800ZW	3 x E27 + incl. 2 x 4,9W GU10	Ø60 x 35-150	2200 - 2700 Kelvin, 2 x 480 Lumen, dim to warm






Bollique

Article	Electrification	L x W x H	Extra Information
3799ME	6 x E27 + incl. 3 x 4,9W GU10	140 x 55 x 35-150	2200 - 2700 Kelvin, 3 x 480 Lumen, dim to warm
3801ME	3 x E27 + incl. 2 x 4,9W GU10	Ø60 x 35-150	2200 - 2700 Kelvin, 2 x 480 Lumen, dim to warm





3498ME



3497ME



3496ME



Bollique

Article	Electrification	L x W x H
3496ME	E27	Ø20 x 30-150
3497ME	E27	Ø25 x 30-150
3498ME	E27	Ø30 x 30-150





Bollique

Article	Electrification	L x W x H
2730ME	6 x E27	Ø60 x 60-350
3499ME	6 x E27	140 x 40 x 30-150



2709ZW



3804ZW



3805ME



Constellation

Article	Electrification	L x W x H	Extra information
2709ZW	6 x E14	Ø101 x 60-150	
3804ZW	4 x E14 + incl. 1 x 4,9W GU10	Ø105 x 80-107	2200-2700 Kelvin, 480 Lumen, dim to warm
3805ME	4 x E14 + incl. 1 x 4,9W GU10	Ø90 x 80-107	2200-2700 Kelvin, 480 Lumen, dim to warm



3650ZW = 2997ZW + I15351S



3651ZW = 3332ZW + I15352S



1898ZW



1897ZW

Lotus

Article	Electrification	L x W x H	Extra information
1897ZW	E27	Ø25 x 33-150	
1898ZW	3 x E27	132 x 25 x 31-153	
2997ZW	E27	28 x 18 x 160	rotary on/off switch
3332ZW	E27	20 x 14 x 51	rotary on/off switch
I15351S	Ø25 x 20		
I15352S	Ø16 x 13		



3865ZW



3864ZW



3865BR



3864BR

Glastic

Article	Electrification	L x W x H	Extra information
3864	E27	16 x 26 x 20	on/off switch
3865	2 x E27	40 x 16 x 27	



3353ZW



7932ST



7932BE



7932BR

Ancilla

Article	Electrification	L x W x H	Extra information
3353ZW	3W LED	Ø15 x 30	2700 Kelvin, 240 Lumen, touch on/off, USB-chargeable, IP54
7932	3W G9	Ø18 x 30	2700 Kelvin, 350 Lumen, touch , light source 3-steps dimmable



Ancilla

Article	Electrification	L x W x H	Extra information
3101	E27	Ø14,5 x 26	touch on/off
3103	E27	Ø14,5 x 26	touch on/off





3101ST



3101BR



3103ME





Ancilla

Article	Electrification	L x W x H	Extra information
3100	E14	Ø13,5 x 31	touch on/off
3102	E14	Ø13,5 x 31	touch on/off






6185BR



7735BR



6186BR



7961BR

Ancilla

Article	Electrification	L x W x H	Extra information
6185BR	E27	26 x 15 x 39	pull switch
6186BR	E27	26 x 15 x 39	pull switch
7735BR	E27	27 x 15 x 47-55	pull switch
7961BR	E27	27 x 15 x 47-55	pull switch



Ancilla

Article	Electrification	L x W x H	Extra information
5557ST	2 x E14	Ø30 x 39	cable switch
7933CH	3W G9	Ø18 x 30	2700 Kelvin, 350 Lumen, touch, lightsource 3-steps dimmable

Ambiance

Article	Electrification	L x W x H	Extra information
3401	E27	Ø26 x 25	cable switch



Smukt

Article	Electrification	L x W x H
2697BE	E27	Ø50 x 60-150




Yorkshire

Article	Electrification	L x W x H	Extra information
7774ZW	E27	Ø17 x 34-61 x 23	cable switch on/off



Tor

Article	Electrification	L x W x H	Extra information
3298ZW	6 x 5W	100 x 21 x 40-150	2700 Kelvin, 3000 Lumen, dimmable driver



Tubel

Article	Electrification	L x W x H	Extra information
3867	4,9W GU10	Ø10,5 x 30-150	2200 - 2700 Kelvin, 480 Lumen, dim to warm






2677RO



2677GR



2677W



2677ZW




Krisip

Article	Electrification	L x W x H
2677	E27	55 x 40-170



2556ZW



2555ZW



Semicirkel

Article	Electrification	L x W x H
2555ZW	E27	Ø50 x 60-180
2556ZW	2 x E27	116 x 35 x 50-180



7277ZW

Warbier

Article	Electrification	L x W x H
7277ZW	E27	Ø47 x 50-145



5798ZW

Parade

Article	Electrification	L x W x H
5798ZW	E27	Ø40 x 40-150




7785ST



Tuk


Article	Electrification	L x W x H
7785ST	E27	Ø41 x 60-170



7978ZW



1452GR



Bikkel

Article	Electrification	L x W x H
1452GR	E27	Ø45 x 55-145
7978ZW	E27	Ø32 x 40-130



7834ZW



7834GR



7834B

Bikkel

Article	Electrification	L x W x H
7834	E27	Ø52 x 63-153



7586ZW



7586GR

Bikkel

Article	Electrification	L x W x H
7586	E27	Ø42 x 55-145



7586B



7586PE



7586ST



7586G

Bikkel

Article	Electrification	L x W x H
7586	E27	Ø42 x 55-145



2134ZW



1534ZW



1533ZW

Brooklyn

Article	Electrification	L x W x H	Extra information
1533ZW	4,9W GU10	11 x 15 x 12	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm
1534ZW	2 x 4,9W GU10	30 x 15 x 12	2200 - 2700 Kelvin, 2 x 480 Lumen, including light sources, dim to warm
2134ZW	3 x 4,9W GU10	61 x 15 x 12	2200 - 2700 Kelvin, 3 x 480 Lumen, including light sources, dim to warm





3391ZW



3391ST



3391G



3391W

Spring

Article	Electrification	L x W x H	Extra information
3391	E27	Ø14 x 33	on/off switch



6827W



6827ST



6827ZW



6290ST



6290ZW



6290W

Spring

Article	Electrification	L x W x H	Extra information
6290	E27	12,5 x 28-70 x 24	rotary dimmer
6827	E27	12,5 x 23 x 23	cable swith on/off



3398BR



Feuilleter

Article	Electrification	L x W x H	Extra information
3398BR	E27	Ø38 x 15	Can be used as a hanging or wall lamp



3306BR



Pimpernel


Article	Electrification	L x W x H
3306BR	E27	Ø25 x 42



5972ZW



5973ZW



5971ZW



5972ZBR



5971BR



5973BR

Pimpernel

Article	Electrification	L x W x H
5971	2 x E14	Ø23 x 60-120
5972	4 x E14	Ø25 x 60-120
5973	E27	Ø16 x 26



6836ST



6840ST



6842ST



6838ST

Capri

Article	Electrification	L x W x H	Extra information
6836ST	2 x E27	80 x 30 x 80-126	glass Ø30 cm
6838ST	2 x E27	56 x 30 x 183	glass Ø17 + Ø30 cm, floor dimmer
6840ST	E27	Ø17 x 28 x 31	glass Ø17 cm, cable switch on/off
6842ST	E27	Ø25 x 45	glass Ø25 cm, cable switch on/off





made in europe



Capri

Article	Electrification	L x W x H	Extra information
6837ST	3 x E27	115 x 30 x 78-125	glass Ø30 cm
6839ST	E27	Ø45 x 60-109	glass Ø45 cm



Capri

Article	Electrification	L x W x H	Extra information
6838BR	2 x E27	56 x 30 x 183	glass Ø17 + Ø30 cm, floor dimmer
6839BR	E27	Ø45 x 60-109	glass Ø45 cm



6837BR



6836BR



6840BR



6842BR

Capri

Article	Electrification	L x W x H	Extra information
6836BR	2 x E27	80 x 30 x 80-126	glass Ø30 cm
6837BR	3 x E27	115 x 30 x 78-125	glass Ø30 cm
6840BR	E27	Ø17 x 28 x 31	glass Ø17 cm, cable switch on/off
6842BR	E27	Ø25 x 45	glass Ø25 cm, cable switch on/off



BATHROOM
IP44



3059ZW



3060ZW



3061ZW



Points Noirs

Article	Electrification	L x W x H	Extra information
3059ZW	4,9W GU10	10 x 10 x 16	2200 - 2700 Kelvin, 350 Lumen, including light source, dim to warm, IP44
3060ZW	2 x 4,9W GU10	22 x 10 x 16	2200 - 2700 Kelvin, 2 x 350 Lumen, including light sources, dim to warm, IP44
3061ZW	3 x 4,9W GU10	32 x 10 x 16	2200 - 2700 Kelvin, 3 x 350 Lumen, including light sources, dim to warm, IP44





7906ST



7905ST



7904ST



3094ST



7901ST



7902ST



7903ST

Natasja

Article	Electrification	L x W x H	Extra information
3094ST	4,9W GU10	11 x 22 x 33	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm
7901ST	4,9W GU10	8,5 x 12 x 12	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm
7902ST	2 x 4,9W GU10	38 x 18 x 12	2200 - 2700 Kelvin, 2 x 480 Lumen, including light sources, dim to warm
7903ST	3 x 4,9W GU10	68 x 18 x 12	2200 - 2700 Kelvin, 3 x 480 Lumen, including light sources, dim to warm
7904ST	4 x 4,9W GU10	90 x 18 x 12	2200 - 2700 Kelvin, 4 x 480 Lumen, including light sources, dim to warm
7905ST	3 x 4,9W GU10	Ø27,5 x 12	2200 - 2700 Kelvin, 3 x 480 Lumen, including light sources, dim to warm
7906ST	6 x 4,9W GU10	134 x 18 x 12	2200 - 2700 Kelvin, 6 x 480 Lumen, including light sources, dim to warm



7905ZW



7906ZW



3094ZW



7904ZW



7902ZW



7901ZW



7903ZW

Natasja

Article	Electrification	L x W x H	Extra information
3094ZW	4,9W GU10	11 x 22 x 33	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm
7901ZW	4,9W GU10	8,5 x 12 x 12	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm
7902ZW	2 x 4,9W GU10	38 x 18 x 12	2200 - 2700 Kelvin, 2 x 480 Lumen, including light sources, dim to warm
7903ZW	3 x 4,9W GU10	68 x 18 x 12	2200 - 2700 Kelvin, 3 x 480 Lumen, including light sources, dim to warm
7904ZW	4 x 4,9W GU10	90 x 18 x 12	2200 - 2700 Kelvin, 4 x 480 Lumen, including light sources, dim to warm
7905ZW	3 x 4,9W GU10	Ø27,5 x 12	2200 - 2700 Kelvin, 3 x 480 Lumen, including light sources, dim to warm
7906ZW	6 x 4,9W GU10	134 x 18 x 12	2200 - 2700 Kelvin, 6 x 480 Lumen, including light sources, dim to warm





7305ST



7305ZW



7305W



7304ST



7304ZW



7304W



3371ZW



3371W



3371ST



Pelite spot

Article	Electrification	L x W x H	Extra information
3371	GU10	Ø10 x 7	excluding light source
7304	GU10	Ø10 x 7	excluding light source
7305	GU10	10 x 10 x 7	excluding light source



1731ZW



1731W



1731ST



2488ZW



2488W



2488ST

Pelite spot

Article	Electrification	L x W x H	Extra information
1731	GU10	Ø8,5 x 9	excluding light source
2488	GU10	Ø10 x 4,4	excluding light source, IP44



7799ZW



7798ZW



7797ZW



7799W



7798W



7797W

Lido

Article	Electrification	L x W x H	Extra information
7797	12W	Ø28 x 6	2700 Kelvin, 1100 Lumen, dimmable driver
7798	18W	Ø36 x 6	2700 Kelvin, 1500 Lumen, dimmable driver
7799	24W	Ø42 x 6	2700 Kelvin, 2200 Lumen, dimmable driver



2564W



2564ZW



2564ST

Lido

Article	Electrification	L x W x H	Extra information
2564	8W	Ø17 x 4	2700 Kelvin, 700 Lumen, dimmable driver



BATHROOM IP44



1365BR



1366BR

Ikaro

Article	Electrification	L x W x H	Extra information
1365BR	12W	Ø24 x 9	2700 Kelvin, 960 Lumen, 4-steps dimmable by switch, memory, IP44
1366BR	18W	Ø29 x 10,5	2700 Kelvin, 1440 Lumen, 4-steps dimmable by switch, memory, IP44

BATHROOM
IP44



1362ST



1363ST



1362ZW



1363ZW

Ikaro

Article	Electrification	L x W x H	Extra information
1362	12W	Ø18 x 7	2700 Kelvin, 960 Lumen, 4-steps dimmable by switch, memory, IP44
1363	18W	Ø24 x 7	2700 Kelvin, 1440 Lumen, 4-steps dimmable by switch, memory, IP44





BATHROOM
IP44



2127W



2128W



2779BR



2785BR

Ceiling and wall

Article	Electrification	L x W x H	Extra information
2127W	12W	Ø25 x 8	2700 Kelvin, 1150 Lumen, 4-steps dimmable by switch, memory, IP44
2128W	18W	Ø30 x 8	2700 Kelvin, 1750 Lumen, 4-steps dimmable by switch, memory, IP44
2779BR	2 x E27	Ø30,5 x 11	
2785BR	2 x E27	Ø29 x 9	



3665ZW



3669ZW



3671ZW

Bambus

Article	Electrification	L x W x H	Extra information
3665ZW	E14	12 x 12 x 16	lamp is a ceiling and wall lamp
3669ZW	E14	Ø15 x 39	cable switch on/off
3671ZW	5 x E14	80 x 30 x 194	rotary switch on/off



3670ZW



3668ZW













3667ZW



3666ZW



Bambus

Article	Electrification	L x W x H	Extra information
3666ZW	2 x E14	33 x 12 x 22	
3667ZW	3 x E14	56 x 12 x 22	
3668ZW	4 x E14	73 x 12 x 22	
3670ZW	2 x E14	Ø28 x 150	cable swith on/off




Sparkled Light

Article	Electrification	L x W x H	Extra information
3821ZW	E27	75 x 30 x 180	rotary switch on/off
K2676		Ø20 x 15	
K3084		Ø20 x 15	




Sparkled Light

Article	Electrification	L x W x H	Extra information
7268	E27	42 x 125-165 x 180-210	cable switch on/off
K1066		Ø50 x 20	
K11130/K10610		Ø38 x 24	
K1001		Ø45 x 40 x 28	
K10942S		Ø60 x 22,5	silk hood
K2000HS		Ø60 x 25	
K2001HS		Ø60 x 25	



Sparkled Light

Article	Electrification	L x W x H	Extra information
7268W	E27	42 x 125-165 x 180-210	cable switch on/off
K1066		Ø50 x 20	
K11130 / K10610		Ø38 x 24	



1481ST

Sparkled Light

Article	Electrification	L x W x H	Extra information
1481	E27	160 x 145-160 x 160	cable switch on/off
K1001		Ø45 x 40 x 28	
K1068		Ø40 x 20	
K11130/K10610		Ø38 x 24	



Sparkled Light

Article	Electrification	L x W x H
3602	E27	135 x 15
K1001		Ø45 x 40 x 28
K1066		Ø50 x 20
K11130S		Ø38 x 24
K2000/2001		Ø60 x 25




Elegant Classy

Article	Electrification	L x W x H	Extra information
2574 K1066	E27	120-9 x 40 Ø50 x 20	cable switch on/off



Prestige Chic

Article	Electrification	L x W x H	Extra information
7395	E27	210 x 30 x 35	cable switch on/off
K1001		Ø45 x 28	
K1068		Ø40 x 20	



Prestige Chic

Article	Electrification	L x W x H	Extra information
7396	E27	80 x 15-45	rotary dimmer
K1007		Ø25 x 30 x 18	
K2131		Ø30 x 18	
K7396		Ø30 x 18	





Stang

Article	Electrification	L x W x H	Extra information
3332ZW	E27	20 x 14 x 51	rotary on/off switch
K2676		Ø20 x 12	
K3084		Ø20 x 15	



Stang

Article	Electrification	L x W x H	Extra information
3349ZW	E27 + 3W LED	Ø50 x 120	2900 Kelvin, 300 Lumen, 2 x on/off switch
K2131		Ø30 x 18	
K7396		Ø30 x 18	





Stang

Article	Electrification	L x W x H	Extra information
2995ZW	E27 + 1W LED	11 x 17.5 x 15	2900 Kelvin, 100 Lumen. 2 x on/off switch
K2676		Ø20 x 12	
K3084		Ø20 x 15	



Stang

Article	Electrification	L x W x H	Extra information
3503ZW K1068	E27	24 x 13 x 55 Ø40 x 20	rotary on/off switch



Stang

Article	Electrification	L x W x H	Extra information
2996ZW	E27	17 x 17 x 44	rotary on/off switch
2997ZW	E27	28 x 18 x 160	rotary on/off switch
K2131/ K7396		Ø30 x 18	



3084ZW






3085ZW

Stang


Article	Electrification	L x W x H	Extra information
3084ZW	E27	14 x 14 x 30	rotary on/off switch
3085ZW	E27	11 x 17,7 x 15	rotary on/off switch
K2676		Ø20 x 15	
K3084		Ø20 x 15	





Stang

Article	Electrification	L x W x H	Extra information
3842ZW	E27	15 x 30 x 145	cable switch on/off
3843ZW	E27	10 x 20 x 45	cable switch on/off
K1066		Ø50 x 20	
K7396		Ø30 x 18	



Stang

Article	Electrification	L x W x H
3457ZW K7396	3 x E27	120 x 10 x 85-155 Ø30 x 18

3307BR



3969BR = 3308BR+K1068SS



3988BR = 3308BR+K1068CS



7306BR = 3308BR+K1068ZS



7307BR = 3308BR+K1068VS



7308BR = 3308BR+K1068QS



3968BR = 3307BR+K1068SS



3987BR = 3307BR+K1068CS



7204BR = 3307BR+K1068ZS



7205BR = 3307BR+K1068VS



7206BR = 3307BR+K1068QS



3308BR



Brass

Article	Electrification	L x W x H	Extra information
3307BR	E27	Ø25 x 39	cable switch on/off
3308BR	E27	Ø18 x 46	cable switch on/off
K1068		Ø40 x 20	



3309BR



3400BR



3978BR = 3309BR+K2131SS



3989BR = 3309BR+K7396CS



7309BR = 3309BR+K7396ZS



7310BR = 3309BR+K7396VS



7311BR = 3309BR+K7396QS



Brass

Article	Electrification	L x W x H	Extra information
3309BR	E27	Ø12 x 34	cable switch on/off
3400BR	E27	Ø11 x 40	cable switch on/off
K2131		Ø30 x 20	
K7396		Ø30 x 18	

3980BR = 3400BR+K2131SS



3421BR = 3400BR+K7396QS



3423BR = 3400BR+K7396VS



3424BR = 3400BR+K7396ZS





3991BR = 3400BR+K7396CS





1507ZW



2720ZW

Outdoor collection

Article	Electrification	L x W x H	Extra information
1507ZW	2 x 6,5W	22 x 6,5 x 6,5	2700 Kelvin, 2 x 590 Lumen, IP67
2720ZW	2 x 4W GU10	6,7 x 9 x 15,5	2700 Kelvin, 2 x 345 Lumen, IP44, darkness switch



2721ZW



2728ZW

Outdoor collection


Article	Electrification	L x W x H	Extra information
2721ZW	2 x 4W GU10	6,7 x 9 x 15,5	2700 Kelvin, 2 x 345 Lumen, IP54, darkness switch
2728ZW	2 x 3W	9,8 x 10 x 10	2700 Kelvin, 2 x 240 Lumen, IP54, darkness switch



2726ZW



3820ZW



Outdoor collection

Article	Electrification	L x W x H	Extra information
2726ZW	2 x 4W GU10	9 x 11 x 23	2700 Kelvin, 2 x 345 Lumen, darkness switch, IP44
3820ZW	2 x 3W	11,8 x 13,8 x 10	2700 Kelvin, 2 x 240 Lumen, darkness switch, IP54



1495ZW



1494ZW



Outdoor collection

Article	Electrification	L x W x H	Extra information
1494ZW	4W GU10	9 x 7 x 9	2700 Kelvin, 345 Lumen, IP54
1495ZW	4W GU10	8 x 9 x 6,5	2700 Kelvin, 345 Lumen, IP54



1496ZW



1498ZW



1497ZW

Outdoor collection

Article	Electrification	L x W x H	Extra information
1496ZW	2 x 4W GU10	7 x 9 x 15	2700 Kelvin, 2 x 345 Lumen, IP44
1497ZW	2 x 4W GU10	7 x 9 x 15	2700 Kelvin, 2 x 345 Lumen, IP44
1498ZW	2 x 4W GU10	12,5 x 7,5 x 16	2700 Kelvin, 2 x 345 Lumen, IP54



3353ZW



1502ZW



Outdoor collection

Article	Electrification	L x W x H	Extra information
1502ZW	4W GU10	Ø9 x 32	2700 Kelvin, 345 Lumen, IP54
3353ZW	3W LED	Ø15 x 30	2700 Kelvin, 240 Lumen, touch on/off, USB-chargeable, IP54



I15293S



I15294S



I15295S



I15296S



I15297S



I15298S

I15299S



I15300S





I15301S



I15428S

Ceiling panels

Article	L x W x H
I15293S	100 x 9 x 2,5
I15294S	140 x 9 x 2,5
I15295S	170 x 9 x 2,5
I15296S	100 x 25 x 2,5
I15297S	140 x 25 x 2,5
I15298S	170 x 25 x 2,5
I15299S	Ø30 x 2,5
I15300S	Ø50 x 2,5
I15301S	Ø70 x 2,5
I15428S	140 x 40 x 3





2691ZW




2692ZW



2693ZW

Kasket




Article	Electrification	L x W x H	Extra information
2691ZW	E27	Ø30 x 105-160	cable switch on/off
2692ZW	E27	Ø22 x 50-90	cable switch on/off
2693ZW	E27	20 x 50 x 25-40	cable switch on/off



3097ZW

Dunbar

Article	Electrification	L x W x H
3097ZW	E27	Ø40 x 18



1702ZW

Fjorgard

Article	Electrification	L x W x H	Extra information
1702ZW	2 x E27	Ø25 x 155	switch button on/off on top of reflector



Woody

Article	Electrification	L x W x H	Extra information
7900BE	E27	23 x 40-66 x 23	cable switch on/off




Zappa

Article	Electrification	L x W x H	Extra information
7702ZW	E27	18 x 50 x 35-80	cable switch on/off



Frisk

Article	Electrification	L x W x H
7696	E27	Ø50 x 60-210



1578G

7872ZW

1578GR

Geurnsey

Article	Electrification	L x W x H
1578	E27	14 x 27 x 18

Mark III

Article	Electrification	L x W x H
7872ZW	E27	Ø48 x 70-215





Millstone

Article	Electrification	L x W x H
7737ZW	E27	Ø40 x 35-195



Clearvoyand

Article	Electrification	L x W x H
7695ZW	E27	Ø42 x 65-210





Dolphin

Article	Electrification	L x W x H	Extra information
1323	E27	11 x 25 x 14	built-in switch on/off
1325	E27	Ø28 x 116-160	cable switch on/off



Bois

Article	Electrification	L x W x H	Extra information
3677ZW K1068	E27	Ø27 x 52 Ø40 x 20	cable switch on/off



3678ZW

Bois

Article	Electrification	L x W x H	Extra information
3678ZW	E27	Ø16 x 51	cable switch on/off
K7396		Ø30 x 18	
K2131		Ø30 x 20	




3679ZW




Bois

Article	Electrification	L x W x H	Extra information
3679ZW K1066	E27	Ø29 x 143 Ø50 x 20	cablè switch on/off



Lyons

Article	Electrification	L x W x H	Extra information
3465ZW	E27	Ø35 x 40	cable switch on/off
K1068		Ø40 x 20	



Lyons


Article	Electrification	L x W x H	Extra information
3466ZW	E27	Ø28 x 53	cable switch on/off
K1068		Ø40 x 20	



3467ZW

Lyons

Article	Electrification	L x W x H	Extra information
3467ZW	E27	Ø15 x 58	cable switch on/off
K7396		Ø30 x 18	
K2131		Ø30 x 20	



Bundle

Article	Electrification	L x W x H	Extra information
3335ZW	E27	Ø11 x 18	build-in switch on/off
3336ZW	2 x E27	20 x 11 x 20	



Cloud

Article	Electrification	L x W x H
3331ZW	E27	Ø50 x 34-180




Capos

Article	Electrification	L x W x H
3511ZW	E27	Ø48 x 40-155



3330ZW



Flinter

Article	Electrification	L x W x H
3328ZW	E27	Ø42 x 33-165
3329ZW	E27	Ø50 x 25-165
3330ZW	E27	Ø47 x 19-165



3328ZW



3329ZW





2136B



Bangalore

Article	Electrification	L x W x H
2136B	E27	Ø70 x 80-220



3491BE

Muoversi

Article	Electrification	L x W x H
3491BE	E27	Ø45 x 50-190



3058W

Porcelain

Article	Electrification	L x W x H	Extra information
3058W	E14	Ø14 x 26	cable switch on/off



3107W



3108W



3110W



Jazz

Article	Electrification	L x W x H	Extra information
3107W	E14	25 x 25 x 30	cable switch on/off
3108W	E14	Ø13 x 23	cable switch on/off
3110W	E14	Ø20 x 18,5	cable switch on/off



2131ZW = 3404ZW + K2131SS



3719ZW = 3404ZW+K73962S



3720ZW = 3404ZW+K7396BS



3721ZW = 3404ZW+K7396CS



3722ZW = 3404ZW+K7396GS



3723ZW = 3404ZW+K7396KS



3724ZW = 3404ZW+K7396QS



3725ZW = 3404ZW+K7396RS




3726ZW = 3404ZW+K7396VS



3727ZW = 3404ZW+K7396ZS





3949ZW = 3404ZW+K7396JS



3404ZW

Linstrom

Article	Electrification	L x W x H	Extra information
3404ZW K7396	E27	35-70 x 30 x 70 Ø30 x 18	cable switch on/off



Linstrom

Article	Electrification	L x W x H	Extra information
3405ZW K7396	E27	35-70 x 30 x 110-140 Ø30 x 18	cable switch on/off



8236ZW = 3127ZW+K3084ZS



7203ZW = 3127ZW+K26762S



8230ZW = 3127ZW+K30842S



8231ZW = 3127ZW+K3084RS



8232ZW = 3127ZW+K3084QS



8233ZW = 3127ZW+K3084VS



8234ZW = 3127ZW+K3084GS



8235ZW = 3127ZW+K3084KS



3713ZW = 3127ZW+K3084BS



3714ZW = 3127ZW+K3084CS



3943ZW = 3127ZW+K3084JS



3127ZW

Animaux

Article	Electrification	L x W x H	Extra information
3127ZW	E27	Ø17 x 31	cable switch on/off
K3084		Ø20 x 15	
K26762		Ø20 x 15	



7202ZW = 3126ZW+K2131SS




3126ZW

Animaux

Article	Electrification	L x W x H	Extra information
3126ZW	E27	11 x 20 x 41	cable switch on/off
K7396		Ø30 x 18	
K3084		Ø20 x 15	

3866ZW



1894W

Aura

Article	Electrification	L x W x H	Extra information
1894W	12W	Ø50 x 6	3000 Kelvin, 960 Lumen
3866ZW	E27	Ø50 x 6	

3490E




Maze

Article	Electrification	L x W x H
3490	E27	Ø46 x 20-160



3490BE





3129BE



3128BE




3131BE



3130BE

Maze

Article	Electrification	L x W x H	Extra information
3128BE	E27	Ø40 x 16,5	
3129BE	E27	Ø40 x 16,5	
3130BE	E27	Ø30 x 30	cable switch on/off
3131BE	E27	Ø30 x 30	cable switch on/off



7506ZW = 3602ZW + K2001HS



7505ZW = 3602ZW + K2000HS



Maze

Article	Electrification	L x W x H
7505ZW	E27	Ø60 x 30 x 160
7506ZW	E27	Ø60 x 30 x 160



3819BE

anneTM
lighting



Grass

Article	Electrification	L x W x H
3819BE	E27	Ø53 x 25-150



3395W

3394W



3394CR



3395CR




Marrakesch


Article	Electrification	L x W x H
3394	E27	Ø50 x 56-155
3395	E27	Ø50 x 56-155



3680BR




3681BR



Brassi

Article	Electrification	L x W x H
3680BR	E27	24 x 13 x 36
3681BR	E27	Ø42 x 20





2745ST



MEXLITE

2745ZW

Danske

Article	Electrification	L x W x H	Extra information
2745	20W	114 x 9 x 20-125	2700 Kelvin, 2000 Lumen, touch dimmer



2689ZW



2690ZW

Stekk

Article	Electrification	L x W x H	Extra information
2689ZW	8W	46 x 22 x 47-70	2700 Kelvin, 720 Lumen, 4-steps dimmable, touch dimmer
2690ZW	8W	52 x 25 x 135-170	2700 Kelvin, 720 Lumen, 4-steps dimmable, touch dimmer



7500BR



7502BR

7501BR



Biron

Article	Electrification	L x W x H	Extra information
7500BR	8W + 23W	27 x 52 x 180	2700 Kelvin, 650 + 2000 Lumen, 2 x rotary dimmer
7501BR	8W	25 x 45 x 150	2700 Kelvin, 650 Lumen, push dimmer
7502BR	8W	17 x 35 x 60	2700 Kelvin, 650 Lumen, rotary dimmer




Biron

Article	Electrification	L x W x H	Extra information
7500ST	8W + 23W	27 x 52 x 180	2700 Kelvin, 650 + 2000 Lumen, 2 x rotary dimmer
7501ST	8W	25 x 45 x 150	2700 Kelvin, 650 Lumen, push dimmer
7502ST	8W	17 x 35 x 60	2700 Kelvin, 650 Lumen, rotary dimmer





7500ZW



7501ZW



7502ZW

Biron

Article	Electrification	L x W x H	Extra information
7500ZW	8W + 23W	27 x 52 x 180	2700 Kelvin, 650 + 2000 Lumen, 2 x rotary dimmer
7501ZW	8W	25 x 45 x 150	2700 Kelvin, 650 Lumen, push dimmer
7502ZW	8W	17 x 35 x 60	2700 Kelvin, 650 Lumen, rotary dimmer



1315ST



1315ZW

Eloi

Article	Electrification	L x W x H	Extra information
1315	10W	Ø17 x 40 x 46	2700 Kelvin, 800 Lumen, rotary dimmer



1315BR



1327ZW



1327ST



Synna

Article	Electrification	L x W x H	Extra information
1327	5 x 4,5W	Ø30 x 90 x 189	2700 Kelvin, 5 x 500 Lumen, floor dimmer




Platu

Article	Electrification	L x W x H	Extra information
3351	10W	Ø23 x 40 x 132	2700 - 4000 Kelvin, 900 Lumen, push dimmer (3 steps), color adjustable



Karl

Article	Electrification	L x W x H	Extra information
5895	10W	23 x 52 x 114-145	2700 Kelvin, 900 Lumen, push dimmer



3115ST



3115ZW



Serpent

Article	Electrification	L x W x H	Extra information
3115	8W	23 x 60 x 133-183	2700 Kelvin, 800 Lumen, touch dimmer



2486ZW



2486ST



2486W

BATHROOM
IP44



2487ZW



2487W



2487ST

Upround

Article	Electrification	L x W x H	Extra information
2486	4,9W GU10	Ø10 x 12	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm, IP44
2487	2 x 4,9W GU10	Ø15 x 12	2200 - 2700 Kelvin, 2 x 480 Lumen, including light sources, dim to warm, IP44





3390W



3390ZW



3654ST



3654ZW



3517ZW



3390ST

Upround

Article	Electrification	L x W x H	Extra information
3390	4,9W GU10	25 x Ø10 x 30	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm
3654	4,9W GU10	16 x 16 x 30	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm
3517ZW	GU10	11 x 22 x 33	excluding light source





BATHROOM
IP44

Galaxy

Article	Electrification	L x W x H	Extra information
7827W	12W	Ø26 x 9	2700 Kelvin, 960 Lumen, IP44



7827W

BATHROOM
IP44



7831ST




7830ST



Ceiling and wall

Article	Electrification	L x W x H	Extra information
7830ST	12W	Ø27,5 x 8,5	2700 Kelvin, 960 Lumen, IP44
7831ST	18W	Ø34 x 10	2700 Kelvin, 1440 Lumen, IP44



7922W



7923W

Ceiling and wall

Article	Electrification	L x W x H	Extra information
7922W	5,5W	34,5 x 6,5 x 2	3000 Kelvin, 495 Lumen, built-in dimmer
7923W	8,5W	58 x 6,5 x 2	3000 Kelvin, 765 Lumen, built-in dimmer



3117ZW

Volcan

Article	Electrification	L x W x H	Extra information
3116	E14 25W	Ø9 x 35	cable switch on/off, including light source
3117	E14 30W	Ø14 x 37	cable switch on/off, including light source



3117ST



3116ST

MEXLITE



3116ZW



2674ZW



2673ZW



3338ZW



3337ZW



Fez Black

Article	Electrification	L x W x H	Extra information
2673ZW	8W	Ø8 x 8	2700 Kelvin, 700 Lumen, dimmable driver
2674ZW	2 x 8W	16 x 8 x 8	2700 Kelvin, 2 x 700 dimmable driver

Acier

Article	Electrification	L x W x H	Extra information
3337ZW	E27	Ø11 x 18	on/off switch
3338ZW	2 x E27	20 x 11 x 25	



3067ZW




3068ZW

Aureole

Article	Electrification	L x W x H	Extra information
3067ZW	E27	Ø35 x 48-160	including a gold and a black ring
3068ZW	E27	Ø45 x 48-170	including a gold and a black ring



3682ZW



3684ZW



3683ZW



Skandina

Article	Electrification	L x W x H
3682ZW	E27	Ø40 x 150
3683ZW	E27	Ø35,5 x 150
3684ZW	E27	Ø35 x 150

MEXLITE

7780ZW



Espen

Article	Electrification	L x W x H
7780ZW	E27	Ø42 x 70-145




1443ZW



Black Moon

Article	Electrification	L x W x H
1443ZW	E27	Ø40 x 35-180



Cera

Article	Electrification	L x W x H	Extra information
7647ZW	E14	13 x 28 x 16	cable switch on/off




Belana

Article	Electrification	L x W x H	Extra information
7733BR	E27	27 x 17,5 x 44	pull switch on/off

MEXLITE



7656G



7657G



7656ZW



7655G



7657ZW



7655ZW

Davin

Article	Electrification	L x W x H	Extra information
7655	E14	Ø16 x 40-68	switch on/off
7656	E14	10 x 80 x 20	switch on/off
7657	E14	10 x 29 x 15	switch on/off




7997ZW



7996ZW



3380ZW



3379ZW



1577ZW

Carree

Article	Electrification	L x W x H	Extra information
1577ZW	E27	Ø45 x 93-155	cable switch on/off
3379ZW	E27	25 x 20 x 30-150	
3380ZW	E27	25 x 20 x 28	cable switch on/off
7996ZW	E27	25 x 20 x 23	
7997ZW	E27	58 x 20 x 23	





7632ZW

Office Magna

Article	Electrification	L x W x H	Extra information
7632ZW	E27	Ø38 x 120 x 150-180	cable switch on/off



MEXLITE

7654ZW

Flex

Article	Electrification	L x W x H
7654ZW	E27	Ø36 x 40-145







Buckley

Article	Electrification	L x W x H	Extra information
2983ZW	4 x E27	100 x 20 x 140	excluding light source





2675ZW



MEXLITE

1705ZW

Buckley

Article	Electrification	L x W x H	Extra information
1705ZW	4 x E27	100 x 20 x 90-130	excluding light source
2675ZW	5 x E27	140 x 20 x 120-145	excluding light source



1318ZW



3327ZW



3326ZW



3092ZW

Nove

Article	Electrification	L x W x H	Extra information
1318ZW	E27	Ø42 x 25-125	
3092ZW	E27	Ø22 x 98 x 145	cable switch on/off
3326ZW	E27	Ø15 x 13	switch on/off
3327ZW	2 x E27	20 x 15 x 25	



1320ZW



1321ZW



1322ZW

Nove

Article	Electrification	L x W x H	Extra information
1320ZW	E27	Ø18 x 36 x 14	cable switch on/off
1321ZW	E27	13 x 40 x 75	cable switch on/off
1322ZW	E27	28 x 65 x 172	cable switch on/off

1320GR



1321GR



1322GR



1322G



1321G



1320G




1318G




Nove

Article	Electrification	L x W x H	Extra information
1318G	E27	Ø42 x 25-125	
1320	E27	Ø18 x 36 x 14	cable switch on/off
1321	E27	13 x 40 x 75	cable switch on/off
1322	E27	28 x 65 x 172	cable switch on/off



7704W



7704ZW



7704BL



7704RO



7704GR

Eden

Article	Electrification	L x W x H
7704	E27	Ø42 x 45-200



Bjorr

Article	Electrification	L x W x H
3099W	3 x E27	130 x 24 x 150
7730W	E27	Ø33 x 40-160
7731W	E27	Ø45 x 30-170

MEXLITE




10191W



Ella

Article	Electrification	L x W x H
10191W	3 x E27	Ø40 x 70-155

7636B



Eliga

Article	Electrification	L x W x H
7636B	E27	Ø40 x 55-155



2661ZW




Gaeve

Article	Electrification	L x W x H
2661ZW	E27	Ø50 x 60-150

MEXLITE



7779ZW



7779GR

Densi

Article	Electrification	L x W x H
7779	E27	Ø47 x 75-160



1357B



1357GR



1357ZW



Lisanne

Article	Electrification	L x W x H
1340	E27	21 x 10,5 x 8
1342	E27	Ø17 x 8
1357	E27	Ø29 x 11



1342B



1342ZW



1342GR



1340ZW



1340GR



1340B



MEXLITE



Paco

Article	Electrification	L x W x H	Extra information
1311	4,9W GU10	19 x 11,5	2200 - 2700 Kelvin, 480 Lumen, switch on/off, including light source, dim to warm
1312	2 x 4,9W GU10	31 x Ø11,5 x 19	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm



7890B



7890GR

Ebbe

Article	Electrification	L x W x H
7890	E27	Ø17 x 42-156



2701ZW

2702ZW

2703ZW

Minimalics

Article	Electrification	L x W x H	Extra information
2701ZW	E27	Ø10 x 42-170	excluding light source
2702ZW	E27	Ø10 x 28	excluding light source
2703ZW	E27	Ø12 x 8,5	excluding light source



3063A



2729A



2133A




7969A



7968A

Gearwood

Article	Electrification	L x W x H
2133A	3 x E27	59 x 19 x 17
2729A	4 x E27	90 x 17 x 23
3063A	3 x E27	Ø30 x 23
7968A	E27	15 x 19 x 17
7969A	2 x E27	32 x 19 x 17





2729G

2133G



7969G



7968G



3063G



Gearwood

Article	Electrification	L x W x H
2133G	3 x E27	59 x 19 x 17
2729G	4 x E27	90 x 17 x 23
3063G	3 x E27	Ø30 x 23
7968G	E27	15 x 19 x 17
7969G	2 x E27	32 x 19 x 17



7968W



2729W



7969W



3063W



2133W

Gearwood

Article	Electrification	L x W x H
2133W	3 x E27	59 x 19 x 17
2729W	4 x E27	90 x 17 x 23
3063W	3 x E27	Ø30 x 23
7968W	E27	15 x 19 x 17
7969W	2 x E27	32 x 19 x 17



2133BR



7969BR



7968BR

Gearwood

Article	Electrification	L x W x H
2133BR	3 x E27	59 x 19 x 17
7968BR	E27	15 x 19 x 17
7969BR	2 x E27	32 x 19 x 17





2729GR



2133GR



3063GR



7969GR



7968GR

Gearwood

Article	Electrification	L x W x H
2133GR	3 x E27	59 x 19 x 17
2729GR	4 x E27	37 x 15 x 13
3063GR	3 x E27	Ø30 x 23
7968GR	E27	15 x 19 x 17
7969GR	2 x E27	32 x 19 x 17



3672NI



3673NI



3764NI



Gearmetal

Article	Electrification	L x W x H
3672NI	E27	15 x 19 x 17
3673NI	2 x E27	32 x 19 x 17
3764NI	3 x E27	59 x 19 x 17

MEXLITE



3840ZW




3841ZW



Geripu

Article	Electrification	L x W x H	Extra information
3840ZW	8W	Ø15 x 40-150	2700 Kelvin, 700 Lumen, dimmable driver
3841ZW	8W	Ø15 x 32	2700 Kelvin, 700 Lumen, cable dimmer



3664ZW

Sunflower

Article	Electrification	L x W x H	Extra information
3664ZW	E27	Ø74 x 163	switch on/off



Study

Article	Electrification	L x W x H	Extra information
3456	E27	Ø15 x 30-54,5	cable switch on/off



Grazioglass

Article	Electrification	L x W x H
3492ME	E14	Ø18 x 30-150
3493ME	E14	Ø14 x 30-150
3494ME	E14	Ø12,5 x 30-150
3495ME	E14	Ø10 x 30-150





5894ST = 3407ST + K58942S



3406BR




3407ST

Bella

Article	Electrification	L x W x H	Extra information
3406BR	E27	Ø45 x 135	pull switch on/off
3407ST	E27	Ø45 x 135	pull switch on/off
K7396		Ø30 x 18	E27 support
K2131		Ø30 x 20	E27 support
K5894		Ø30 x 18	E27 support

<p>3870BR = 3406BR+K7396CS</p>	<p>3871BR = 3406BR+K7396QS</p>	<p>3872BR = 3406BR+K7396VS</p>	
<p>3873BR = 3406BR+K7396ZS</p>	<p>3874BR = 3406BR+K2131SS</p>		
<p>3875ST = 3407ST+K73962S</p>	<p>3876ST = 3407ST+K7396GS</p>		<p>3877ST = 3407ST+K7396KS</p>
<p>3878ST = 3407ST+K7396QS</p>	<p>3879ST = 3407ST+K7396RS</p>		<p>3880ST = 3407ST+K7396VS</p>
<p>3881ST = 3407ST+K7396ZS</p>	<p>3882ST = 3407ST+K7396JS</p>		

5894BR = 3406BR + K58941S



Bella

Article	Electrification	L x W x H	Extra information
3407ZW	E27	Ø45 x 135	pull switch on/off
K7396		Ø30 x 18	E27 support
K2131		Ø30 x 20	E27 support
K5894		Ø30 x 18	E27 support



Noor

Article	Electrification	L x W x H	Extra information
1562ZW	2,5W + E27	18 x 18 x 30	Reading lamp LED 2700K, reading lamp separately on/off, including shade
1563ZW	E27	20 x 20 x 56	switch on/off, including shade
3403ZW	E27	Ø25 x 133,5	switch on/off
K1564S		Ø30 x 30	




1562ST



1564ST = 3403ST+K15642S



1563ST



3403ST

Noor

Article	Electrification	L x W x H	Extra information
1562ST	2,5W + E27	18 x 18 x 30	Reading lamp LED 2700K, reading lamp separately on/off, including shade
1563ST	E27	20 x 20 x 56	switch on/off, including shade
3403ST	E27	Ø25 x 133,5	switch on/off
K15642		Ø30 x 30	



7977ST = 3410ST + K7977QS



3908ST = 3410ST + K10682S



3909ST = 3410ST + K1068GS



3910ST = 3410ST + K1068KS



3911ST = 3410ST + K1068QS



3912ST = 3410ST + K1068RS



3913ST = 3410ST + K1068VS



3914ST = 3410ST + K1068ZS



3915ST = 3410ST + K1068JS



3916ST = 3410ST + K10012S



3917ST = 3410ST + K1001QS



3918ST = 3410ST + K1001RS




3919ST = 3410ST + K10610S



3920ST = 3410ST + K11130S

Solva

Article	Electrification	L x W x H	Extra information
3410ST	E27	35 x 152 x 185	cable switch on/off
K1068		Ø40 x 20	
K1001		Ø45 x 28	
K11130		Ø30 x 26	



3409ZW

Solva

Article	Electrification	L x W x H	Extra information
3409ZW	E27	35 x 152 x 185	cable switch on/off
K1068		Ø40 x 20	
K1001		Ø45 x 28	
K11130		Ø30 x 26	



1472ZW



1472ST

Nouveau

Article	Electrification	L x W x H	Extra information
1472	3W + E27	24 x 14 x 34	3000 Kelvin, 240 Lumen, two on/off switches, including shade




3334ZW



3333ZW

Ornoir

Article	Electrification	L x W x H	Extra information
3333ZW	E14	Ø13 x 20	switch on/off, including shade
3334ZW	2 x E14	20 x 13 x 20	including shades



7175ZW = 3348ZW + K7976SS



4098ZW = 3348ZW+K1068BS

4099ZW = 3348ZW+K1068RS

4100ZW = 3348ZW+K1068QS

4101ZW = 3348ZW+K1068CS

4102ZW = 3348ZW+K1068ZS

4103ZW = 3348ZW+K1068KS

4104ZW = 3348ZW+K1068VS

4105ZW = 3348ZW+K10682S

4106ZW = 3348ZW+K1068GS

4107ZW = 3348ZW+K1068SS

4108ZW = 3348ZW+K1068JS

7176ZW = 3348ZW+K7977QS



3348ZW

Triek

Article	Electrification	L x W x H	Extra information
3348ZW	E27	Ø75 x 115-150	cable switch on/off
K1068		Ø40 x 20	
K7976SS / K7977QS		Ø40 x 25	



7661BE



7662BE

Sabi

Article	Electrification	L x W x H	Extra information
7661BE	E27	Ø52 x 167	cable switch on/off, including shade
7662BE	E27	Ø30 x 55	cable switch on/off, including shade



8852BE



8853BE



7787BE

Dion

Article	Electrification	L x W x H	Extra information
7787BE	E27	30 x 28	cable switch on/off
8852BE	E14	Ø10 x 80 x 30,5	cable switch on/off, including shade
8853BE	E14	Ø10 x 55 x 24	cable switch on/off, including shade



anneTM
lighting

MEXLITE  TM

